Sunspot Pattern Classification using PCA and Neural Networks

T.Rajkumar (SAIC @ NASA Ames), D.E. Thompson (NASA Ames) and G.L. Slater (Lockheed Martin) rajkumar@mail.arc.nasa.gov, dethompson@mail.arc.nasa.gov and gregory.l.slater@lmco.com

Overall Research Goal: Unsupervised spatio-temporal-spectral classification of real-time MDI images
Pre-history analysis of solar active regions
Real time prediction of solar flare events

Initial Objective: Autonomous classification of sunspots based on MDI images using artificial intelligence algorithms

Procedure:

- (i) Reduction of data set for constructing suitable training data set for PCA and neural network
 - Select standardized image size and color resolution (183 x 183 pixel)
 - Resize image to a size, so that equal number of metapixels can be generated
- (ii) Construct a training data set for PCA, so that the highest eigenvalues for each class can be stored
- (iii) Eigenvalue is computed for a new image and is compared with training dataset for class assignment
- (iv) Based on threshold value, if the class is not able to be determined, then unknown class is designated
- (v) PCA-> Data reduction for training data set construction
- (vi) The image is divided into equal number of metapixels
- (vii) The mean and SD values of the grid are provided as inputs to the neural network w.r.t corresponding classes
- (viii) SOM Neural network is trained and ready to predict future classification of images (using only 1/6 of available images)

Elle Edit View Inser Tools Deskto; Windov Help Axx - MDI image

SOM neural network

Som neural network

Elle Edit View Inser Tools Deskto; Windov Help Axx - Edge detected using Robert's method


Data: MDI images 05 March 2001 – 26 December 2004

3 arcmin square


Original data set size: 1596

Training data set construction: 308

Initial Results: Classification based on PCA Maximum eigenvalues for 15 McIntosh classes of sunspot configurations




Sample images from different sunspot classes



Step I Classification of Sunspot using PCA

Preprocessing after Step I



Step II Further Refinement in Classification of Sunspot using Self-organizing Map